ST. CLAIR COUNTY HEALTH DEPARTMENT



Environmental Health Division 220 Fort Street, Port Huron, MI 48060 Office: (810) 987-5306 / Fax: (810) 985-5533 <u>environmentalhealth@stclaircounty.org</u>

RESIDENTIAL SEWAGE DISPOSAL PERMIT APPLICATION

> APPLICANT / SIGNATURE MUST BE AN INDIVIDUAL AND ONE OF THE FOLLOWING:

- \circ Owner of the property, if owner is the one developing the property
- \circ Purchaser of the property, if this is to be the person developing the property
- $_{\odot}$ Permits will be issued to the APPLICANT ONLY
- o Designated Agent Form required if anyone other than the Applicant signs the application

> SUBMIT THE FOLLOWING:

- \circ Property address or road location with distance from nearest intersection
- Detailed plot plan on a separate sheet of paper (See example on the back of this sheet)
- o Property Tax I.D. number and legal description of the property

> AFTER APPLICATION IS COMPLETED:

- o Email / return with all required information
- Permit fee of \$300 payable via cash, check, online, or over phone with credit card (fees apply)

AFTER SUBMITTING APPLICATION:

- Arrange an appointment with your area sanitarian at (810) 987-5306, Monday through Friday between the hours of 8 a.m. - 10:00 a.m.
- Due to heavy clay soils, most soil borings will need to be done by a backhoe. In some cases, (with sanitarian approval), holes may be dug with a post-hole digger or similar device. <u>POWER AUGERS</u> <u>ARE NOT ACCEPTABLE</u>
- In those cases that soil borings are not done by a backhoe, then a minimum of two soil borings, 50 feet apart, shall be dug and are to be a minimum of four inches in diameter. Borings are to be at least four feet deep and placed on opposite ends of the proposed disposal field area. It is the responsibility of the applicant to assure that there are no underground utilities in the vicinity
- The soil is to be laid out in the sequence it is removed from the holes
- Property lines shall be staked out along the road frontage


ATTENTION APPLICANT: Installation of sewage treatment systems between December 1st and March 1st, is PROHIBITED without prior approval from the Health Department. Installing a sewage disposal system when the ground is wet or frozen can shorten the life expectancy of the system and result in failure sooner than if installation occurred during favorable conditions.

- A. Show location of any existing construction such as buildings, wells, or sewage disposal facilities which are on the property, or adjoining lands.
- B. Show location of all proposed construction such as buildings, driveways, wells, and sewage disposal systems.
- C. Indicate any easements lakes, ponds, drains, utility lines, etc.
- D. Indicate distances between wells and septic tanks, disposal fields, property lines, water courses, streams, rivers, lakes, drop-offs, etc., on property <u>AND</u> neighboring property.
- E. Your plot plan drawing <u>should</u> resemble the example shown below.

MINIMUM REQUIREMENTS

ISOLATION FROM	SEPTIC TANK	DISPOSAL FIELD
Property Line or roadside ditc	h 10'	10'
Building Foundation	10'	10'
Deep Well Supply*	50'	50'
Lake, Stream	50'	50'
Bank or Drop-Off	10'	25'
Trees	5'	10'

* Wells less than 25' in depth will require further isolation. Wells serving more than one dwelling and commercial buildings may require further isolation.



Date	
Amount	
Receipt	
Permit#	

Environmental Health Division 220 Fort Street, Port Huron, MI 48060 Office: (810) 987-5306 / Fax: (810) 985-5533 environmentalhealth@stclaircounty.org



APPLICATION TO INSTALL SEWAGE DIS PROPERTY TAX I.D.# 74			OR DUPLEX DWELLING ONLY
PROPERTY LOCATION			
Street number (if av NEAREST CROSSROAD () N () S () E (ailable)	Street na	
APPLICANT			
CITY, STATE, ZIP			
CITY, STATE, ZIP			
Subdivision			
Dwelling Type: Single () or Duplex ()			
New Construction () Existing Replace			- · · ·
Water Supply: Municipal () Private Well ()	Well shall comply to th	e requirements of Part 127	of Act 368 P.A. 1978, as amended.
SIGNATURE OF APPLICANT		D	ATE
	IEALTH DEPARTME	NT USE ONLY	
Septic tank(s) Capacity			
Standard Absorption Trenches: sq. ft.			
 Applicant must understand all permit ins Removematerial in an area a) Replace with inches of ap b) Replace with approved medium coarse Bank the disposal field (slope) with san Call for inspection of sand fill quality an Install stone and tile. Cover with a mini Notify Health Department for final inspection Final cover shall be 8-12 inches of loar Finish grade shall allow for proper surfativater saving devices (toilets, showers, Call for additional requirements if a gar Tile invert ~inches above 	structions (see reverse a x, l pproved medium coar e sand to 6 inches at ad / loam at a 4 to 1 s ad depth. DO NOT P I mum of 2 inches of s ection of system. DO my topsoil (no clay) . ace water runoff. <u>Sug</u> faucets, etc.). Diver bage disposal, spa c	se and approved site pla Loosen underlying soil rse sand in the pove benchmark in the slope. (No clay allowed ROCEED UNTIL APPR straw. NOT BACKFILL UNTIL Seed and mulch the en ggest surface water divert t downspouts/gutters av or any other intensive water	an) and diagrams before installation to ~6" deep. DO NOT COMPACT! x area. x area. OVED. L APPROVED. tire field area. ersion/ditching and the use of /ay from septic field area. ater use device is to be installed.
THIS PERMIT NO, is here stated herein and for installation request	by granted to	d in accordance with an	, subject to conditions

PERMIT ISSUED ON_____, 20____. VOID AFTER______, 20____. BY: ______

IMPORTANT INFORMATION – PLEASE READ CAREFULLY

- 1. Location of the septic tank, sewage disposal system, or construction details and specifications shown in the application and plans as approved, shall <u>not</u> be altered without WRITTEN APPROVAL OF THE HEALTH DEPARTMENT.
- 2. Notify Health Department for inspection of system. **DO NOT BACKFILL UNTIL APPROVED.**
- 3. Assure that the house plumbing is set high enough to gravity drain to the specified tile field invert elevation and location, or a pump system will be necessary.
- 4. If you or your agents have any questions regarding this permit, contact the area sanitarian before you commence construction.

Seasonal / Weather Restrictions on Construction

Installing a sewage disposal system when the ground is wet or frozen can shorten the life expectancy of the system and result in failure sooner than if installation occurred during favorable weather conditions. Never begin construction unless the existing topsoil is dry, otherwise damage to the natural soil structure will occur. Installation of sewage systems between the dates of December 1 and March 1 is restricted.

Notice to Applicant or Owner

The St. Clair County Health Department makes no warranty or guarantee that subsurface sewage disposal systems constructed in accordance with a suggested design or a system inspected and found to be in conformity with applicable regulations will function satisfactorily. A permit and/or subsequent inspections are only intended to insure compliance with the regulations and do not constitute any assurance that proper operation will result.

Maintenance

Have the septic tank pumped out to remove sludge accumulations at 3-4 year intervals; doing so faithfully can prevent premature failure of your tile field.

Legibly Marked Septic Tanks

The Environmental Health Code requires that septic tanks be legibly marked with the tank's liquid capacity.

Construction Practices

- 1. Use care and "common sense" when installing the disposal system to protect the soil's natural absorption properties by preventing soil compaction or smearing, and sealing off of the annular space between each individual soil particle through which water "percolates" away. As much as possible, keep equipment and vehicles off the tile field area before and during construction.
- 2. Be sure all exposed stone in the absorption field is completely covered with hay, straw, untreated building paper, newsprint, etc., to prevent infiltration of soil into the void spaces between the stones when backfilling. Clogged void spaces between the stone prevent proper aerobic decomposition of sewage.
- 3. The septic tank / drain field shall not be installed in easements.

Permit Renewal

This permit is valid for two years and is null and void after this twenty four month period. You may renew the permit for a one year (twelve month) period, provided you apply and pay for the renewal before the expiration (void date) of the current permit. The Environmental Health Code requires that persons who have expired permits that have not been renewed must file a new permit application, pay applicable fees, and shall meet current code requirements.

Other Governmental Regulations

This permit is permissive and its issuance does not convey any rights or exclusive privileges, nor does it authorize any infringement of other applicable laws or regulations from other units of government, and it does not relieve the permit holder from obtaining other required permits. Specifically, it is the applicant's responsibility to contact the Michigan Department of Environment, Great Lakes, and Energy (EGLE) regarding any possible regulated wetlands and/or floodplains on the property prior to beginning any construction.



St. Clair County Soil Erosion and Sedimentation Control Permit

A Soil Erosion and Sedimentation Control permit is necessary for an earth change which disturbs one or more acres of land, *OR* occurs within 500' of a lake, river, stream, drain or other water body.

An "<u>earth change</u>" is described as being a man-made change in the natural cover or topography of land, including cut and fill activities, which may result in or contribute to soil erosion or sedimentation of the waters of the state. A "<u>stream</u>" is a river, stream, or creek which may or may not be serving as a drain, and which has definite banks, a bed and visible evidence of a continued flow or continued recurrence of water, including the connecting waters of the Great Lakes.

Sediment is the product of uncontrolled erosion and is the greatest pollutant by volume entering our rivers and streams every year. Erosion and sedimentation result in the loss of fertile topsoil, increased flooding, destruction of aquatic habitats, filling of lakes and rivers, and structural damage to buildings and roads. Construction is one of the major causes of erosion.



The applicant must submit an application that provides specific information such as the name of the on-site responsible person, location and size of the earth change, description of the earth change and projected

starting and ending dates. The soil erosion and sedimentation control plan shall be reviewed and approved by the St. Clair County Health Department.



Upon receipt of your permit fee, completed application, site plan and schedule of construction, an Environmental Health Sanitarian will conduct a site inspection. Your site will be inspected throughout the term of your permit to ensure compliance with Part 91.

At the end of the permit term, a final inspection will be performed to determine if the site has been permanently stabilized or if the permit needs to be renewed.

To obtain an application for a soil erosion permit, contact:

St. Clair County Health Department Division of Environmental Health 220 Fort Street Port Huron, MI 48060 (810) 987-5306

Please note: Permit fees are subject to change.





Environmental Health Division 220 Fort Street, Port Huron, MI 48060 Office: (810) 987-5306 Fax: (810) 985-5533 environmentalhealth@stclaircounty.org Website: www.scchealth.co/EH

DESIGNATED AGENT FORM

As landowner of property indicated below, please accept this signed authorization as written permission for my "Designated Agent" to sign application and secure a Permit in my name

Property Address	
City / Township	
Owner Name	
Address	
City, State, Zip	
Designated Agent	
Address	
City, State, Zip	
Owner Signature	
Date	

-	 		 	 	 		 	
_	 							
	 	 	 	 	 	 	 _	 _
_								
_								
	2 <u></u>	s						
		_						
						- C		
-								
_			 	 				
_			 		 		 	
				021 - C				
_								