

# HOW TO USE FENTANYL AND XYLAZINE TEST STRIPS

Fentanyl is 50 - 100 times stronger than morphine so be careful if you use it.

1. Draw up first shot & put aside

2. If you inject, add water to cooker & put test strip in cooker

OR

If you sniff, test residue, empty bag & add water, then put the test strip in bag

3. One line is positive for fentanyl. Two lines is negative for fentanyl.




Photo from harmreduction.org

Link to Demonstration Video



Get help - access line

**(888) 225-4447**



# HOW TO USE FENTANYL AND XYLAZINE TEST STRIPS

Fentanyl is 50 - 100 times stronger than morphine so be careful if you use it.

**Don't use alone.**



**Carry Narcan®**



Free overdose rescue kits  
are available the  
Health Department

**Go Slow**



**Get help - access line**  
**(888) 225-4447**



# USE SAFELY

# FREE SYRINGES

**Walk-in.  
No judgment.  
Confidential.**

**Prevent Hep C and  
HIV!**

**Find offsite  
locations at:  
[www.scchealth.co](http://www.scchealth.co)**

**Monday - Friday**  
8:00 am - 4:30 pm

**Late Night**  
First Monday of  
Every Month  
10:00 am - 6:30 pm



(810) 987-5300



3415 28th Street  
Port Huron, MI  
48060



**ST. CLAIR COUNTY  
HEALTH DEPARTMENT**  
*Our Community. Our Environment.*

[www.scchealth.co](http://www.scchealth.co) | follow @ scchdmi